



# PRODUCT DATA SHEET

## RUBBER GREASE Grease

NLGI 2  
Code:617

**RUBBER GREASE** is a premium quality clay thickened grease formulated with castor oil to provide outstanding performance in a wide range of automotive and industrial applications.

### SPECIFICATIONS

**RUBBER GREASE** meets or exceeds the following specifications.

- NLGI 2

### APPLICATIONS

**RUBBER GREASE** is recommended as a general purpose, non-harmful grease for automotive, industrial and consumer parts or components consisting of natural or synthetic rubber. These include hydraulic dust covers, braking system components, seals, washers and stoppers.

**RUBBER GREASE**, unlike mineral oil based greases, the castor oil component means that it will not adversely affect rubber parts, preventing excessive softening or hardening.

**RUBBER GREASE** is compatible with natural and synthetic rubbers, offers excellent lubricity, protects against rust and corrosion, easy to apply, ingredients are non harmful to the environment and outstanding storage stability due to the added food grade antioxidant

**RUBBER GREASE** will not breakdown under high mechanical stress. In storage it will not alter consistency or release oil.

### TYPICAL MAIN CHARACTERISTICS

CHARACTERISTICS	NLGI 2
Penetration @ 25 Deg C	280
Dropping Point deg C	275
Flash Point deg C	230
Viscosity @ 40 C, cSt	315
Thickener Type	Clay
Appearance	Red

**PACKAGE SIZE** 500 Gm

Due to continual product research and development, the information contained herein is subject to formulation change without notice.

Values stated are average values only and may vary due to manufacturing tolerances.